

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

### Skudo Glass Advanced

Revision

Revision date 02-01-2025

Page 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Skudo Glass Advanced
1.3. Details of the supplier of the safety d	ata sheet
Company	Skudo LLC
Address	
	11120 Zodiac Ln DALLAS TEXAS 75229 USA
Telephone	888-758-3611
Email	info@skudousa.com
1.4. Emergency telephone number	
Emergency telephone number	888-758-3611 7.00 am - 4.00 pm

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

This product is not classified as hazardous or toxic in the GHS framework.

This product has not been classified as hazardous per the present legislation in force.

This product and components hereof, including traces or contamination from waste mining resources as heavy elements, toxins, and bio traces, do not appear in TSCA, ECHA, or any known national or international inventory listing of hazardous or potentially hazardous substances.

Hazard summary:

Physical hazards: Not classified as hazardous.

Health hazard: None known.

Eye contact: Accidental direct splashing or accidental direct spraying in unprotected eyes will be irritating to eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Skin contact: Contact to unprotected skin: No more than slightly irritating to skin. No more than slightly toxic if absorbed.

Skin contact: Contact to unprotected skin: No more than slightly irritating to skin. No more than slightly toxic if absorbed. Ingestion: Accidental ingestion: No more than slightly toxic if swallowed. Significant adverse health effects are not expected to develop is only small amounts (less than a mouthful) are swallowed.

Inhalation: Accidental inhalation of vapors during drying or spray-fog from spray coat machines leads to no significant hazard if properly recommended and adjusted breathing protection is used in working surroundings.

Environmental hazards by accidental release to waterways: Water Hazard Class: WGK 1, slightly water-endangering

RCRA Hazard Class: None known.

Acute health hazards: No significant hazards associated with this product. Chronic health hazards: No significant hazards associated with this product.

Medical conditions generally aggravated by exposure: None known.

Potential Physical/Chemical hazard: Wet spilled material may form extremely slippery surfaces.

Emergency overview:

Low hazard for usual handling and industrial processing for trained personnel. Routes of entry: Contact with unprotected eyes or skin and unprotected breathing.

	Form: Liquid Color: Colorless clear to white or light grey opaque, Opaque with color. Odor: Mild to odorless
2.2. Other Hazards	
	Wet spilled material may form extremely slippery surfaces.

# SECTION 3: Composition/information on ingredients

## 67/548/EEC / 1999/45/EC

Components:	CAS No.	Min WT %	Max WT %
Polyvinylbutyral	63148-65-2	36	44
Triethyleneglycol bis (2- ethylhexanoate)	94-28-0	2	15
Water	7732-18-5	50	55
Proprietary compounds		0	5

Chemical name	Classification
Polyvinylbutyral, PVB	DSD, Not Classified according to D 67/548/EEC
Polyvinylbutyral, PVB	CLP, Not Classified Regulation No. 1272/2008

## SECTION 4: First aid measures

# 4.1. Description of first aid measures

	Immediate first aid is not likely to be required. Get medical attention if symptoms arise.
Inhalation	The material can be removed with water. Remove contact lenses if possible and flush with plenty of water, at least 30 minutes. Seek medical attention for inspection of the eye and the vicinity hereof.
Eye contact	Immediate first aid is not likely to be required. The material can be removed with water. Flush with plenty of water while or after removing contaminated clothes and shoes. Wash contaminated clothing before reuse. Get medical attention if symptoms arise.
Skin contact Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. A physician or Poison Control Center should be contacted for advice and observation.

<u> </u>	
i.1. Extinguishing media	
	Water spray, foam, halon, dry chemical, or carbon dioxide
2. Special hazards arisir	ng from the substance or mixture
	Unusual fire and explosion hazards: The dried product may form dust from abrasion and can accumulate electrostatic charges, which may form electric discharges (ignition source). Use proper electrical grounding methods where airborne dust, film flakes, or powder is moved mechanically.
	Hazardous decomposition products: Acrolein, crotonaldehyde, butyraldehyde, n-butanol, 2-butoxyethanol, butyric acid, methanol, formic acid, hydrocarbons, carbon monoxide, and carbon dioxide.
	Flammability: Dry material must be heated locally to more than 380°C before ignition can occur.
.3. Advice for firefighter	
	Special firefighting procedures:

Revision date 2025-02-01

	In case of fire: Evacuate area. Use water spray to keep fire exposed containers cool. Prevent runoff from fire control or dilution from entering stream, sewers, or drinking water supply. Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental releas	se measures
6.1. Personal precautions, protec	tive equipment and emergency procedures
	No action shall be taken involving any personal risk without suitable and completed training. Use personal protection measures.
6.2. Environmental precautions: K	Ceep out of drains and water courses.
	Prevent further leakage or spillage if safe to do so. Clean up spills immediately and dispose of waste safely. Do not contaminate water sources, drainage, or sewer.
6.3. Methods and material for co	ntainment and cleaning up
	In case of spill: Scoop, sweep, or vacuum and remove in a clearly labeled container for chemical waste.  In case of an accidental spill or release to the environment, notify relevant authorities in accordance with all applicable regulations.
SECTION 7: Handling and storens of the second storens of the second storens of the second sec	
7.1. Frecaulions for safe handling	Handle in accordance with good industry hygiene and safety practices to minimize dust and air spray production.  Vacuum using a wet-vacuum or a HEPA equipped vacuum cleaner.  Avoid the use of compressed air for cleaning.  Take precautionary measures to avoid electrostatic discharges.
7.2. Conditions for safe storage, in	ncluding any incompatibilities.
	Keep away from heat, sparks, and open flame. Empty containers or bags retain product residue. Observe all recommended safety precautions until container is cleaned, reconditioned, or destroyed. The use of this material's container for non-industrial purposes is prohibited and any reuse must be in consideration of the data provided.  Storage: Keep the containers tightly closed. Store in a cool, dry place out of sunlight. Be aware that once exposes to air, will form a film on the surface. General: Stable under normal conditions of handling and storage. Avoid storage near oxidizing chemicals. Avoid contamination from air, water, or dirt-borne sources of bacterial, algal, fungal, or viral sources. Lids, closures, or coverings must be clean.

# SECTION 8: Exposure controls/personal protection

8.1. Occupational exposure limits

Country specific or general exposure limits have not been established or are not applicable.

8.2. Exposure control	
	Ventilation: Provide adequate ventilation. Ventilate as needed to control airborne particle levels below the occupational safety limits, typically 10 air changes per hour. If applicable, use process enclosures and local exhaust ventilation. Individual protection measures, such as personal protective equipment: Make access to emergency eye bath stations and general washing facilities. Respiratory protection: This material is not likely to present an airborne exposure concern under normal conditions of use. Use an approved respiratory unit, and if uncontrolled releases must be cleaned, use a protective pressure respiratory system. Eye protection: Use good industrial practice to avoid eye contact. Wear safety glasses with side shields or goggles. Skin protection: Although this product does not present a significant skin concern, minimize skin contamination by following good industrial practice. Wash thoroughly with soap after handling. Wear

appropriate clothing to avoid prolonged skin-contact and wash clothes regularly. Wearing protective gloves is recommended.

Respiratory protection:

An air-purifying respirator with an appropriate approved air purifying filter, cartridge, or consider is recommended to be used when spray-techniques are applied.

Exposure guidelines:
Airborne exposure limits: (ml/m3 = ppm) OSHA and/or ACGIH have not established specific exposure limits for this material. However, they have established limits for particulates not otherwise regulated (PNOR) and particulates not otherwise classified (PNOC) respectively, which are the least stringent exposure limits applicable to girborne particles:

which are the least stringent exposure limits applicable to airborne particles: ACGIH TLV: 10mg/m3 (total dry dust) 8-hr TWA ACGIH TLV: 3mg/m3 (respirable) 8-hr TWA OSHA Z-1 PEL: 15mg/m3 (total dry dust) 8-hr TWA OSHA Z-1 PEL: 5mg/m3 (respirable) 8-hr-TWA

Hygiene measures:

Observe good industrial hygiene practices and avoid cross-contamination of batches.

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State
Appearance
Appearance
Odor
Odorless

pH
9.5-11

Specific gravity-condensed material (H20 = 1.03 @ 20 degrees C | 1)
Auto ignition temperature
Solubility

Auto but may separate and aggregate if pH lowers by dilution

SECTION 10: Stability and re	eactivity
10.1. Reactivity	
	Stability: Stable under normal conditions.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	None under normal conditions.
10.4. Conditions to Avoid	
	All sources of ignition and strong oxidizers. All kinds of leaking of the containers.
10.5. Incompatibility	
	Strong oxidizing agents, acids, and salts containing cations with a considerable ionic strength.
10.6. Hazardous decomposition	n or by-products when heated to decomposition.
	Butyraldehyde; butyric acid; acrolein; crotonaldehyde; methanol; formic acid; carbon monoxide; carbon dioxide
10.7. Hazardous polymerization	1
	Hazardous polymerization does not occur.
SECTION 11: Toxicological	information
11.1. Information on toxicologi effects	ical
	Acute toxicity Oral: Product: No data available Specified substances: PVB: Oral LD50: (rat) > 10000mg/kg Not classified for acute toxicity on available data. Results of single exposure (acute) toxicity studies conducted on similar materials indicate that these products are practically nontoxic orally and after skin application.

SECTION 12: Ecological information Shark Solutions ApS has not conducted environmental toxicity, accumulation, mobility, or biodegradation studies with this material, but recommends extensive use of recycling techniques for the product and the waste products by suitable processes and waste handling channels. SECTION 13: Disposal considerations 13.1. Waste Treatment Methods Disposal considerations: Incineration or Recycling. This product should not be dumped, spilled, rinsed, or washed into sewers or public waterways. RCRA hazard class: None known SECTION 14: Transport information Classification Dangerous goods ADR – Status: No - Class not regulated. Dangerous goods RID - Status: No – Class not regulated. Dangerous goods IMDG – Status: No – Class not regulated. Dangerous good ICAO/IATA – Status: No – Class not regulated GHS, not dangerous, nonflammable and nontoxic – no regulatory status. SECTION 15: Regulatory information 15.1. Safety, health, and environmental regulations/legislation specific for the substance or mixture 10.7. Hazardous polymerization Water Hazard Class (WGK): WGK 1: Slightly water-endangering SECTION 16: Other information Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.